



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/524,406

09/23/2005

Ralf Muckel

DE020190US

4836

24737 7590 06/16/2008
PHILIPS INTELLECTUAL PROPERTY & STANDARDS
P.O. BOX 3001
BRIARCLIFF MANOR, NY 10510

EXAMINER

WALFORD, NATALIE K

ART UNIT

PAPER NUMBER

2879

MAIL DATE

DELIVERY MODE

06/16/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/524,406	Applicant(s) MUCKEL ET AL.	
	Examiner NATALIE K. WALFORD	Art Unit 2879	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 21 April 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-15 and 17-22 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-15 and 17-22 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 23 September 2005 and 20 November 2006 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on April 21, 2008 has been entered.

Response to Amendment

The Amendment, filed on April 21, 2008, has been entered and acknowledged by the Examiner. Claims 1-15 and 17-22 are pending in the instant application.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-4, 6-8, and 11-15 and 17-20 are rejected under 35 U.S.C. 102(b) as being anticipated by Whitman et al. (US 5,723,937).

Regarding claim 1, Whitman discloses a mercury-free gas discharge lamp (item 70) in figure 3 comprising an inner vessel (item 50) including electrodes (not shown) for providing a discharge arc; and an outer bulb (item 72), wherein a surface of at least one of the inner vessel

Art Unit: 2879

and the outer bulb comprises a pattern (item 26) configured to increase diffuseness of the discharge arc, wherein the pattern includes structured arrangements formed on the surface, the structured arrangements being overlapping (see FIG. 1) over each other along an connecting a set of the structured arrangements (see FIG. 1).

Regarding claim 2, Whitman discloses the mercury-free gas discharge lamp as claimed in claim 1, wherein the pattern is configured to increase the diffuseness of the discharge arc of the mercury-free gas discharge lamp by 0.01 mm up to 1.5 mm in comparison with a corresponding gas discharge lamp without the pattern (see FIG. 4).

Regarding claim 3, Whitman discloses the mercury-free gas discharge lamp as claimed in claim 1, wherein the pattern is configured to reduce the discharge arc curvature of the mercury-free gas discharge lamp by 0.01 mm up to 0.5 mm in comparison with a corresponding gas discharge lamp without the pattern (FIG. 4).

Regarding claim 4, Whitman discloses the mercury-free gas discharge lamp as claimed in claim 1, wherein the mercury-free gas discharge lamp is at least one of a mercury-free high-pressure gas discharge lamp, and a mercury-free xenon high-pressure gas discharge lamp (see FIG. 3).

Regarding claim 6, Whitman discloses the mercury-free gas discharge lamp as claimed in claim 1, wherein the at least one of the inner vessel and the outer bulb is made of at least one of glass and ceramic materials (column 3, lines 49-50).

Regarding claim 7, Whitman discloses the mercury-free gas discharge lamp as claimed in claim 1, wherein the at least one of the inner vessel and the outer bulb has the pattern at least one

Art Unit: 2879

of on its outer surface facing away from the discharge arc, on its outer surface facing the discharge arc, and within the inner vessel or bulb material (see FIG. 3, item 26).

Regarding claim 8, the claim is directed to the method of manufacturing a mercury-free gas discharge lamp, in view of an absence of a showing that the method imparts distinctive structural characteristics to the final product, the limitations directed to the method of manufacturing are not germane to the issue of patentability of the device.

Regarding claim 11, Whitman discloses the mercury-free gas discharge lamp of claim 1, wherein the pattern is further configured to provide an optical impression when viewed from an exterior of the mercury-free gas discharge lamp, the optical impression showing a change in a viewed position of a brightest spot of the discharge arc despite lack of an actual change of an actual position of the brightest spot within the mercury-free gas discharge lamp (FIGS. 3-4).

Regarding claim 12, Whitman discloses the mercury-free gas discharge lamp of claim 1, wherein the pattern is further configured to not change an actual position of a brightest spot of the discharge arc and yet provide an optical impression showing a perceived change in a perceived position of a brightest spot when viewed from an exterior of the mercury-free gas discharge lamp (FIGS. 3-4).

Regarding claim 13, Whitman discloses the mercury-free gas discharge lamp of claim 1, wherein the pattern includes at least one of lines, dots, circles, rectangles, and polygons (FIG. 3).

Regarding claim 14, Whitman discloses the mercury-free gas discharge lamp of claim 13, wherein the lines includes at least one of straight, curved, wavy, and spiraling lines (FIG. 3).

Regarding claim 15, Whitman discloses the mercury-free gas discharge lamp of claim 13, wherein the structured arrangements are at least one of same and different sizes, and are partly or fully planar in shape (FIGS. 1b and 3).

Regarding claim 17, Whitman discloses the mercury-free gas discharge lamp of claim 1, wherein the structured arrangements are at least one of partly and fully planar (FIGS. 1b and 3).

Regarding claim 18, Whitman discloses a discharge lamp (item 70) in figure 3 comprising: an inner vessel (item 50) including electrodes (not shown) for providing a discharge arc; and an outer bulb (item 72), wherein at least one of the inner vessel and the outer bulb comprises a pattern (item 26) configured to increase diffuseness of the discharge arc, wherein the pattern includes structured arrangements formed on the surface (see FIG. 1), the structured arrangements being overlapping over each other (see FIG. 1) along an axis connecting a set of the structured arrangements (see FIG. 1).

Regarding claim 19, Whitman discloses the mercury-free gas discharge lamp of claim 18, wherein the pattern is further configured to provide an optical impression when viewed from an exterior of the discharge lamp, the optical impression showing a change in a viewed position of a brightest spot of the discharge arc despite lack of an actual change of an actual position of the brightest spot within the gas discharge lamp (FIGS. 3-4).

Regarding claim 20, Whitman discloses the mercury-free gas discharge lamp of claim 18, wherein the pattern is further configured to not change an actual position of a brightest spot of the discharge arc and yet provide an optical impression showing a perceived change in a perceived position of a brightest spot when viewed from an exterior of the discharge lamp (FIGS. 3-4).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 5 and 9-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Whitman et al. (US 5,723,937).

Regarding claim 5, Whitman discloses the mercury-free gas discharge lamp as claimed in claim 1, but does not expressly disclose that the light losses of the mercury-free gas discharge lamp as compared with a gas discharge lamp without the pattern amount to ≤ 90 lumens and ≥ 5 lumens, as claimed by Applicant. Whitman does disclose that the pattern has been found to be particularly useful in improving the illumination efficacy or efficiency of lamps (column 5, lines 6-15). It would have been obvious to one having ordinary skill in the art at the time the invention was made to have the light losses of the mercury-free gas discharge lamp as compared with a gas discharge lamp without the pattern amount to ≤ 90 lumens and ≥ 5 lumens, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art.

Regarding claim 9, Whitman discloses the mercury-free gas discharge lamp as claimed in claims 1, but does not expressly disclose that the pattern covers a surface area of 2 mm² to 12 mm², said surface area being arranged over a brightest spot in the discharge arc, as claimed by Applicant. Whitman does disclose though that the pattern covers a surface that has a particular surface area (column 4, lines 13-26). It would have been obvious to one having ordinary skill in

Art Unit: 2879

the art at the time the invention was made to have the pattern covers a surface area of 2 mm² to 12 mm², said surface area being arranged over a brightest spot in the discharge arc, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art.

Regarding claim 10, Whitman discloses the mercury-free gas discharge lamp as claimed in claim 1, but does not expressly disclose that the mercury-free gas discharge lamp is configured for motor vehicles, as claimed by Applicant. It would have been obvious to one having ordinary skill in the art at the time the invention was made to have the mercury-free gas discharge lamp configured for motor vehicles, since it is known in the art that discharge lamps are commonly used in motor vehicles in the headlight.

Response to Arguments

Applicant's arguments filed April 21, 2008 have been fully considered but they are not persuasive. The Examiner respectfully disagrees with Applicant's arguments. The Examiner first points to figure 1 of Whitman, which shows structured arrangements (item 30) that are overlapping when viewed from the top and looking down at the pattern. The Examiner notes that the axis being used runs in a "north to south" direction, which shows that the patterns are overlapping. Hence, Applicant's limitations are met as set forth.

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Natalie K. Walford whose telephone number is (571)-272-6012. The examiner can normally be reached on Monday-Friday, 8 AM - 4:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nimesh Patel can be reached on (571)-272-2457. The fax phone number for the organization where this application or proceeding is assigned is (571)-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

nkW
/Natalie K Walford/
Examiner, Art Unit 2879

/Sikha Roy/
Primary Examiner, Art Unit 2879